


Mobile self contained welfare facilities, ideal for any size or type of site. Easy to use, easy to move.












Eccsmart **Solar**

WITH OFFICE









Step 1

Un hitch Hand brake on. Turn generator on.

Step 2

Wind up jockey wheel. Turn ON isolator switch in cabin.

Step 3

Use hydraulic controls. Turn OFF isolator switch in cabin. You are now parked and secure.







Dimensions (mm)

25^L

Movability

- O Lightweight easy to tow
- O Soft cushioning Hydraulic system
- O Balanced loading, with generator in the front, for better towing
- O 13" wheels with the ability in the event of a puncture to change at the side of the road with ease
- O Road lights and number plate holder built in, No need for a tailboard to be fitted
- O Accidental collision can occur, however our corners are designed to absorb impact and are easily maintained

Facilities

- O Easy to use canteen facilities; kettle & microwave
- O Spacious & comfortable seating area
- O Spacious office with shelving and coat hooks. 230v and inbuilt USB sockets
- O Warm water washing facilities
- Recirculating toilet & urinal
- O Forearm wash basin
- O All interior and exterior surfaces are tough, durable and wipe clean
- O Spacious drying room with hanging clothes facility
- O Plug and play sockets: USB's without the generator and 230v sockets





Toilet waste capacity







- O Roof mounted solar panels for faster battery charging and reduced generator on-time
- O Stage V Generator compatible with HVO and bio-diesel fuels for ultra-low emissions
- O Fully insulated wall and roof system with no cold bridging
- PIR activated LED lighting & hot water without the need for the generator
- O Low noise pollution
- O Low fuel consumption
- O Low CO2 emissions
- O Automatic generator timed shut off for unnecessary fuel usage

Security / Safety

- O Dual heavy duty locking system per door
- O Robust galvanised exterior with high impact resistance
- O Unique hydraulic system for setup in 45 seconds





OIL TYPE SAE10W-30 (1.3L)



Quiet generator



O Low energy LED road lights

generator when you have access to mains power. The system will use mains power as the backup.



Energy savings

Annual fuel savings (a)

2.062 litres



WELFARE CABIN SPECIALISTS

www.mpghire.co.uk Email: hire@mpghire.co.uk

Head Office / Midlands 01217692662 London 020 3633 3282





Fuel Efficiency Comparison

Non Hybrid Welfare cabin:

Running 6kVA generator with diesel, no battery power.

All systems powered directly from the generator:

- Kettle
- Lights
- Microwave
- Water
- Heating
- Sockets

Solar / Battery: X NONE

MPG Hire Ecosmart Solar Hybrid cabin:

Running 3.5kVA generator combined with solar power and battery.

Solar / Battery:

Lights

Water

Low voltage sockets

- Pumps
- Battery charging

Generator:

- Kettle
- Microwave
- Heating
- Battery charging

NON HYBRID 6 kVA welfare unit

6 Person

12 Person

Open plan mobile unit

No Office

L (a)	Litres of fuel used	2,600 L
N	Cost of fuel used ^(b)	£ 4,420 Diesel
AN	CO ² produced ^(kg)	7,083 kg

277 L	
£ 525 HVO	VS NON HYBRID 6 kVA
75 kg HVO	89.3% Betterment

439 L	
£ 835 HV0	VS Non Hybrid 6 kVA
120 kg HV0	83.1% Betterment

NON HYBRID 6 kVA welfare unit

10Person



Mobile unit with office

With Office

ANNUAL (a)	Litres of fuel used	2,600 L
	Cost of fuel used ^(b)	£ 4,420 Diesel
	CO ² produced ^(kg)	7,083 kg

538 L	
£ 1,022 HVO	VS NON HYBRID 6 kVA
147 kg HVO	79.3% Betterment

1,363 L	
£ 2,590 HVO	VS NON HYBRID 6 kVA
371 kg HVO	47.5% Betterment

- (a) Based on 10 hours per day, 260 working days per year, 80 days in winter mode and 180 days in summer mode. Location Luton UK. Each day is a typical usage day.
- (b) £1.70p per litre of HVO or Diesel fuel
- (c) Solar panels achieve maximum output in direct sunlight, but they work in normal daylight and cloudy weather too. The amount of power a solar panel or charging kit generates in cloudy weather will be lower compared to direct sunlight. Also the positioning of the cabin will affect the solar charging of the batteries i.e. under trees, etc.
- (d) This assessment doesn't take in consideration the usage of the hydraulics
- (e) This assessment is guidance only

